

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012357310  
**LIMS Reference ID:** AB57310  
**EMSL Customer ID:** SMCG99

**Attention:** Sean S. Smith Sr.  
 Smithco Engineering Group [SMCG99]  
 808 Market St  
 Camden, NJ 08102  
 (856) 365-9111

**Project Name:** CCSD LIW Sampling-Forrest Hill School  
**Customer PO:**  
**EMSL Sales Rep:** Josh Silverman  
**Received:** 06/20/2023 09:00  
**Reported:** 06/27/2023 17:04

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: SMCO/Forrest-1-Boys Bathroom Stairs 1      Lims Reference ID: AB57310-01      Matrix: Drinking Water      Sampled: 06/14/23 05:05:00

**Metals**

Lead	1.58		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:36	AS	EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-2-Boys Gym 2      Lims Reference ID: AB57310-02      Matrix: Drinking Water      Sampled: 06/14/23 05:10:00

**Metals**

Lead	18.6		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:41	AS	EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-3-Girls gym bathroom 1      Lims Reference ID: AB57310-03      Matrix: Drinking Water      Sampled: 06/14/23 05:15:00

**Metals**

Lead	1.03		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:46	AS	EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-4-Girls gym bathroom 2      Lims Reference ID: AB57310-04      Matrix: Drinking Water      Sampled: 06/14/23 05:20:00

**Metals**

Lead	<1.00		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:48	AS	EPA 200.8
------	-------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-5-Cafeteria 1      Lims Reference ID: AB57310-05      Matrix: Drinking Water      Sampled: 06/14/23 05:25:00

**Metals**

Lead	1.58		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:49	AS	EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-6-Cafeteria 2      Lims Reference ID: AB57310-06      Matrix: Drinking Water      Sampled: 06/14/23 05:30:00

**Metals**

Lead	<1.00		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:51	AS	EPA 200.8
------	-------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-7-Nurse Sink 1      Lims Reference ID: AB57310-07      Matrix: Drinking Water      Sampled: 06/14/23 05:35:00

**Metals**

Lead	<1.00		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:53	AS	EPA 200.8
------	-------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-8-Girls Nurse Sink 2      Lims Reference ID: AB57310-08      Matrix: Drinking Water      Sampled: 06/14/23 05:40:00

**Metals**

Lead	<1.00		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:55	AS	EPA 200.8
------	-------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-9-Kitchen Sink 1      Lims Reference ID: AB57310-09      Matrix: Drinking Water      Sampled: 06/14/23 05:45:00

**Metals**

Lead	1.55		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:56	AS	EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	-----------

Sample: SMCO/Forrest-10-Kitchen Sink 2      Lims Reference ID: AB57310-10      Matrix: Drinking Water      Sampled: 06/14/23 05:50:00

**Metals**



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:856-786-5974  
EMSL-CIN-01

**EMSL Order ID:** 012357310  
**LIMS Reference ID:** AB57310  
**EMSL Customer ID:** SMCG99

**Attention:** Sean S. Smith Sr.  
Smithco Engineering Group [SMCG99]  
808 Market St  
Camden, NJ 08102  
(856) 365-9111

**Project Name:** CCSD LIW Sampling-Forrest Hill School  
**Customer PO:**  
**EMSL Sales Rep:** Josh Silverman  
**Received:** 06/20/2023 09:00  
**Reported:** 06/27/2023 17:04

**Analytical Results**  
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: SMCO/Forrest-10-Kitchen Sink 2 (Continued)      Lims Reference ID: AB57310-10 Matrix: Drinking Water      Sampled: 06/14/23 05:50:00

**Metals (Continued)**

Lead	<1.00		1	1.00	µg/L	06/21/23 13:27	06/23/23 16:58	AS	EPA 200.8
------	-------	--	---	------	------	----------------	----------------	----	-----------

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012357310  
**LIMS Reference ID:** AB57310  
**EMSL Customer ID:** SMCG99

**Attention:** Sean S. Smith Sr.  
 Smithco Engineering Group [SMCG99]  
 808 Market St  
 Camden, NJ 08102  
 (856) 365-9111

**Project Name:** CCSD LIW Sampling-Forrest Hill School  
**Customer PO:**  
**EMSL Sales Rep:** Josh Silverman  
**Received:** 06/20/2023 09:00  
**Reported:** 06/27/2023 17:04

**Certified Analyses included in this Report**

Analyte	CAS #	Certifications
<b>EPA 200.8 in Drinking Water</b>		
Lead	7439-92-1	NJDEP

**List of Certifications**

Code	Description	Number	Expires
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2023
California ELAP	California Water Boards	1877	06/30/2024
A2LA	A2LA Environmental Certificate	2845.01	07/31/2024
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2023
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2023
NYSDOH	New York State Department of Health	10872	04/01/2024
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2023

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:856-786-5974  
EMSL-CIN-01

**EMSL Order ID:** 012357310  
**LIMS Reference ID:** AB57310  
**EMSL Customer ID:** SMCG99

**Attention:** Sean S. Smith Sr.  
Smithco Engineering Group [SMCG99]  
808 Market St  
Camden, NJ 08102  
(856) 365-9111

**Project Name:** CCSD LIW Sampling-Forrest Hill School  
**Customer PO:**  
**EMSL Sales Rep:** Josh Silverman  
**Received:** 06/20/2023 09:00  
**Reported:** 06/27/2023 17:04

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
Q	Qualifier
RL	Reporting Limit

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted."



# Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

AB 57810

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information	Customer ID: SMCG99	Billing Information	Billing ID: SAME
	Company Name: SMITHCO ENGINEERING GROUP, INC.		Company Name:
	Contact Name: Sean S. Smith, Sr.		Billing Contact:
	Street Address: 808 Market Street, Suite 336		Street Address:
	City, State, Zip: Camden, NJ 08102 Country: USA		City, State, Zip: Country:
	Phone: 609-682-0096		Phone:
Email(s) for Report: ssmith@smithcogroup.com	Email(s) for Invoice:		

Project Name/No: CCSD LIW Sampling - Forrest Hill School		Purchase Order:
EMSL LIMS Project ID: (If applicable, EMSL will provide)	US State where samples collected: NJ	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name: Sean Smith, Jr./Anthony Ali	Sampled By Signature:	No. of Samples in Shipment:

Turn-Around-Time (TAT)

3 Hour  
 6 Hour  
 24 Hour  
 32 Hour  
 48 Hour  
 72 Hour  
 96 Hour  
 1 Week  
 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. \*32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm <sup>2</sup> *Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
AIR	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM *If no box is checked, non-ASTM Wipe is assumed	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> Preserved with HNO3 <input type="checkbox"/> PH<2	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input type="checkbox"/> Preserved with HNO3 <input checked="" type="checkbox"/> PH<2 EL	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input type="checkbox"/>
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled	
1	SMCO/Forrest -1	Kitchen Sink 3-1st Draw	250 mL	6-14-23 5:05A
2	SMCO/Forrest -2	Kitchen Sink 3-2nd Draw	250 mL	6-14-23 5:10A
3	SMCO/Forrest -3	Sink in Cafeteria-1st Draw	250 mL	6-14-23 5:15
4	SMCO/Forrest -4	Sink in Cafeteria-2nd Draw	250 mL	6-14-23 5:20
5	SMCO/Forrest -5	Nurse Sink - 1st Draw	250 mL	6-14-23 5:25

Method of Shipment:	Sample Condition Upon Receipt:		
Relinquished by:	Date/Time:	Received by: <i>Chalcy WI</i>	Date/Time: 6/14/23 9 <sup>00</sup>
Relinquished by:	Date/Time:	Received by: <i>Ehlym</i>	Date/Time: 6/14/23 9 <sup>00</sup>

Controlled Document - COC-25 Lead R17 05/09/2022

\*6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

*10 gpl*







# Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

AB 57810

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information	Customer ID: SMCG99	Billing Information	Billing ID: SAME
	Company Name: SMITHCO ENGINEERING GROUP, INC.		Company Name:
	Contact Name: Sean S. Smith, Sr.		Billing Contact:
	Street Address: 808 Market Street, Suite 336		Street Address:
	City, State, Zip: Camden, NJ 08102 Country: USA		City, State, Zip: Country:
Phone: 609-682-0096	Phone:	Email(s) for Report: ssmith@smithcogroup.com	Email(s) for Invoice:

### Project Information

Project Name/No: CCSD LIW Sampling - Forrest Hill School

EMSL LIMS Project ID: (If applicable, EMSL will provide)

US State where samples collected: NJ

State of Connecticut (CT) must select project location:  Commercial (Taxable)  Residential (Non-Taxable)

Sampled By Name: Sean Smith, Jr./Anthony Ali

Sampled By Signature: \_\_\_\_\_

No. of Samples in Shipment: \_\_\_\_\_

### Turn-Around-Time (TAT)

3 Hour  6 Hour  24 Hour  32 Hour  48 Hour  72 Hour  96 Hour  1 Week  2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. \*32 Hour TAT available for select tests only. samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm <sup>2</sup> <small>*Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended</small>	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
AIR	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM <small>*If no box is checked, non-ASTM Wipe is assumed</small>	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
TCLP	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
Soil	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input type="checkbox"/> Preserved with HNO3 <input checked="" type="checkbox"/> PH<2 EL	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input type="checkbox"/>
	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
TSP/SPM Filter				<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
1	SMCO/Forrest -1 Kitchen Sink 3-1st Draw	250 mL	6-14-23 5:05A
2	SMCO/Forrest -2 Kitchen Sink 3-2nd Draw	250 mL	6-14-23 5:10A
3	SMCO/Forrest -3 Sink in Cafeteria-1st Draw	250 mL	6-14-23 5:15
4	SMCO/Forrest -4 Sink in Cafeteria-2nd Draw	250 mL	6-14-23 5:20
5	SMCO/Forrest -5 Nurse Sink - 1st Draw	250 mL	6-14-23 5:25

Method of Shipment: \_\_\_\_\_

Sample Condition Upon Receipt: \_\_\_\_\_

Relinquished by: *[Signature]* Date/Time: 6/14/23

Received by: *[Signature]* Date/Time: 6/14/23 9<sup>00</sup>

Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received by: *[Signature]* Date/Time: 6/14/23 9<sup>00</sup>

Controlled Document - COC-25 Lead R17 05/09/2022

\*6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

*100g*







## Donnelly, Loreen

---

**From:** Sean Smith <ssmith@smithcogroup.com>  
**Sent:** Tuesday, June 20, 2023 10:13 AM  
**To:** Donnelly, Loreen  
**Cc:** Albert, Travis; Carter, Barbara; Palladino, Colleen; Klepancova, Erika; Silverman, Josh  
**Subject:** Re: AB57310  
**Attachments:** AB57310 (2) (1).pdf

[EXTERNAL E-MAIL]

Loreen,

Once again, we tried to make it easier on the field guys by pre-printing the labels. Nor sure why he didn't follow the COC. Please go by the labels.



*Sean S. Smith, Sr.*, President

**SMITHCO. ENGINEERING GROUP, INC.**

808 Market Street, Suite 336

Camden, New Jersey 08102

609.682.0096

[www.smithcogroup.com](http://www.smithcogroup.com)

CONFIDENTIALITY NOTICE: The information in this e-mail and any attachments thereto is intended for the named recipient(s) only even if addressed incorrectly. This e-mail, including any attachments, may contain information that is privileged and confidential and subject to legal restrictions and penalties regarding its unauthorized disclosure or other use. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or the taking of any action or inaction in reliance on the contents of this e-mail and any of its attachments is STRICTLY PROHIBITED. If you have received this e-mail in error, please immediately notify the sender via return e-mail; delete this e-mail and all attachments from your e-mail system and your computer system and network; and destroy any paper copies you may have in your possession. Thank you for your cooperation.

!! Please consider the environment before printing this message.

On Fri, Jun 16, 2023 at 1:40 PM Donnelly, Loreen <[ldonnelly@emsl.com](mailto:ldonnelly@emsl.com)> wrote:

Hello,

Please see the attached COC. We require a release signature and date at the bottom left corner of the chain of custody. Please sign, scan and email back to us at your earliest convenience.

Samples 1-10 do not match what is listed on the COC. Please confirm how you would like to proceed:

Sample 1 – Boys Bathroom Stairs 1 – COC has Kitchen Sink 3 – 1<sup>st</sup> Draw

Sample 2 – Boys Gym 2 – COC has Kitchen Sink 3 – 2<sup>nd</sup> Draw

Sample 3 – Girls gym bathroom 1 – COC has Sink in Cafeteria – 1<sup>st</sup> Draw

Sample 4 – Girls gym bathroom 2 – COC has Sink in Cafeteria – 2<sup>nd</sup> Draw

Sample 5 – Cafeteria 1 – COC has Nurse Sink – 1<sup>st</sup> Draw

Sample 6 – Cafeteria 2 – COC has Nurse Sink – 2<sup>nd</sup> Draw

Sample 7 – Nurse Sink 1 – COC has Girls Bathroom by Stairs – 1<sup>st</sup> Draw

Sample 8 – Nurse Sink 2 – COC has Girls Bathroom by Stairs – 2<sup>nd</sup> Draw

Sample 9 – Kitchen Sink 1 – COC has Boys Bathroom by Stairs – 1<sup>st</sup> Draw

Sample 10 – Kitchen Sink 2 – COC has Boys Bathroom by Gym – 2<sup>nd</sup> Draw

Please note we cannot begin analysis until we have your confirmation on the correct label for the samples.

Please reply to all.

Thank you,

Please reply to all.

Thank you,



Loreen Donnelly

Samples Receiving Data Entry Clerk II

EMSL Analytical, Inc. 200 Route 130 North Cinnaminson, NJ 08077

Phone: 856-858-4800 Direct: 856-733-5733 Toll Free: 800-220-3675

Conduct Field Surveys From Your Smart Device Today! Download EMSL's APP: [iTunes App Store - Apple](#) or [Google Play](#)

Resources: [LABConnectTM](#) | [Order Products](#) | [Free Webinars](#) | [Additional Resources](#) | [EMSL.tv](#)

Connect With Us:



"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."